BYLAW NO. 1986 - 3

A BYLAW OF THE TOWN OF LAMPMAN TO EXTEND THE PERMITTED USE OF PLASTIC PLUMBING MATERIALS

Under the provisions of Section 83 of the Public Health Act, R.S.S. 1978, the Council of the Town of Lampman enacts as follows:

- Notwithstanding the provisions of the Saskatchewan Plumbing and Drainage Regulations, 1978, enacted under the Public Health Act, Heather Fleck and Neal Fleck, of Lampman, Saskatchewan, are hereby authorized to use plastic pipe and fittings in the plumbing system serving the structure known as Fleck's Family Restaurant, located on Lots 5 and 6, Block 5, Plan C2663, Lampman.
- 2. The construction and/or extension of such plumbing shall comply to the requirements stipulated under subsection (a) and (b):
 - a) Combustible drain, waste and vent piping shall not be used in a plumbing system within a building where part of the system is located within or passes through a fire separation required to have a fire-resistance rating, except that where drain, waste and vent piping penetrates through a vertical fire separation, the piping on one side may be combustible provided the combustible piping is not located in a vertical shaft or in a fire separation required to have a fire-resistance rating.
 - b) Meet the requirements imposed by:
 - i) The office of the Provincial Fire Commissioner.
- 3. This bylaw shall come into force and effect upon approval of the Minister of Health.

INTRODUCED AND READ a first time this 2nd day of April, A.D. 1986.
READ A SECOND TIME this 2nd day of April, A.D. 1986.
READ A THIRD TIME this 2nd day of April, A.D. 1986, and passed with the unanhous consent of all members present.

CERTIFIED A TRUE COPY of a Bylampassed by Resolution of Council of the Town of Lampman at their Regular Meeting of April 2, A.D. 1986.

askatcheviani)

Town Clerk

MAYOR

TOWN CHEKATCHEVAN MEALTH APPROVED UNDER THE PROVISIONS OF SECTION 3(4) OF THE PUBLIC HEALTH ACT.

EXECUTIVE DIRECTOR, COMMUNITY SERVICES

Date86-05-15